

This listing of claims will replace all prior versions and listing of claims in the application.

**Listing of Claims:**

Claim 1. (Cancelled)

Claim 2. (Currently Amended): Moulding compositions according to Claim ~~[[22]]~~ 24, containing 75 to 98 parts by weight of an aromatic polycarbonate A.

Claim 3. (Currently Amended): Moulding compositions according to Claim ~~[[22]]~~ 24, containing graft polymers B) produced by copolymerisation of  
5 to 95 parts by weight of a mixture of  
50 to 95 parts by weight of styrene,  $\alpha$ -methyl styrene, styrene with alkyl substitution in the ring, C<sub>1</sub>-C<sub>8</sub>-alkyl methacrylate, C<sub>1</sub>-C<sub>8</sub>-alkyl acrylate or mixtures of these compounds and  
5 to 50 parts by weight of acrylonitrile, methacrylonitrile, C<sub>1</sub>-C<sub>8</sub>-alkyl methacrylate, C<sub>1</sub>-C<sub>8</sub>-alkyl acrylate, maleic anhydride, C<sub>1</sub>-C<sub>4</sub>-alkyl- or phenyl-N-substituted maleimide or mixtures of these compounds on  
5 to 95 parts by weight of rubber with a glass transition temperature of less than -10°C.

Claim 4. (Original): Moulding compositions according to Claim 3, containing as rubbers diene rubbers, polyacrylate rubbers, silicone rubbers or ethylene-propylene-diene rubbers.

Claim 5. (Currently Amended): Moulding compositions according to Claim ~~[[22]]~~ 24, containing component C in a quantity of a monophosphorus compound C.1 and an oligomeric phosphorus compound C.2 having a synergistic effect.

Claim 6. (Currently Amended): Moulding compositions according to Claim ~~[[22]]~~ 24, containing as component C a mixture of 12 to 50 wt.% C.1 and 50 to 88 wt.% C.2.

Claim 7. (Currently Amended): Moulding compositions according to Claim [[22]] 24, containing as component C.1 triphenyl phosphate.

Claim 8. (Currently Amended): Moulding compositions according to Claim [[22]] 24, containing as component C.2 an oligomeric phosphate in which  $R_4$ ,  $R_5$ ,  $R_6$  and  $R_7$  represent phenyl groups and X represents a phenylene group.

Claim 9. (Original): Moulding compositions according to Claim 8, wherein X represents a bisphenylisopropylidene group.

Claim 10. (Currently Amended): Moulding compositions according to Claim [[22]] 24, wherein component D is used in the form of a coagulated mixture with component B.

Claim 11. (Cancelled)

Claim 12. (Cancelled)

Claim 13. (Cancelled)

Claim 14. (Currently Amended): A method of using the composition of Claim [[22]] 24, comprising making an injection molded article.

Claim 15. (Cancelled)

Claim 16. (Cancelled)

Claim 17. (Previously Presented): The molding composition of Claim 23 wherein X conforms to formula (III) and where q is 0.

Claim 18. (Previously Presented): The molding composition of Claim 23 wherein X conforms to formula (IV) and wherein both  $R^8$  and  $R^9$  signify hydrogen.

Claim 19. (Previously Amended): The molding composition of Claim 23 wherein X is at least one member selected from the group consisting of compounds conforming to of formula (III) where q is 0 and compounds conforming to formula (IV) where both R<sup>8</sup> and R<sup>9</sup> signify hydrogen.


Claim 20. (Previously Amended): The molding composition of Claim 23 wherein X is at least one member selected from the group consisting of hydroquinone, resorcinol, 4,4'-dihydroxydiphenyl, 2,2-bis(4-hydroxyphenyl)propane, 2,4-bis(4-hydroxyphenyl)-2-methylbutane, 1,1-bis(4-hydroxyphenyl)cyclohexane, 1,1-bis(4-hydroxyphenyl)-3,3-dimethylcyclohexane, 1,1-bis(4-hydroxyphenyl)-3,3,5-trimethylcyclohexane and 1,1-bis(4-hydroxyphenyl)-2,4,4-trimethylcyclopentane.

Claim 21. (Cancelled)

Claim 22. (Cancelled)

Claim 23. (Currently Amended): The molding composition of Claim ~~[[22]]~~ 24 wherein X is a radical derived from a diphenol conforming to formula (III).

Claim 24. (Currently Amended): A flame resistant thermoplastic molding composition consisting of A) 70 to 98 parts by weight of an aromatic polycarbonate based on one or more of the diphenols of formula (III)




where

A signifies a single bond, C<sub>1</sub>-C<sub>6</sub>-alkylene, C<sub>2</sub>-C<sub>5</sub>-alkylidene, C<sub>5</sub>-C<sub>6</sub>-cycloalkyliden, -S- or -SO<sub>2</sub>-, B independently of one another signify C<sub>6</sub>-C<sub>10</sub>-aryl and

C<sub>7</sub>-C<sub>12</sub> aralkyl, q signifies 0, 1 or 2 and

P signifies 1 or 0, or of the dihydroxyphenylcycloalkanes of formula (IV),




where

R<sup>8</sup> and R<sup>9</sup>, independently of one another, signify hydrogen, C<sub>5</sub>-C<sub>6</sub>-cycloalkyl, C<sub>6</sub>-C<sub>10</sub>-aryl, and C<sub>7</sub>-C<sub>12</sub>-aralkyl, m signifies an integer from 4, 5, 6 or 7, R<sup>10</sup> and R<sup>11</sup>, are selected individually for each Z and independently of one another, signify hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl and Z signifies carbon, with the proviso that R<sup>10</sup> and R<sup>11</sup> both signify alkyl simultaneously on at least one Z atom,

B) 0.5 to 20 parts by weight of a graft polymer having average particle diameter, d<sub>50</sub>, of 0.05 to 2 μm,

C) 0.5 to 5 parts by weight of a mixture of

C.1) 10 to 90 wt.%, based on C, of a monophosphorus compound of formula (I)




where

R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup>, independently of one another, signify C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>6</sub>-C<sub>20</sub>-aryl or C<sub>7</sub>-C<sub>12</sub>-aralkyl,

m signifies 0 or 1 and n signifies 0 or 1 and

C.2) 90 to 10 wt.%, based on C, of a phosphorus compound of formula (II)



where

$\text{R}^4$ ,  $\text{R}^5$ ,  $\text{R}^6$ ,  $\text{R}^7$ , independently of one another, signify  $\text{C}_1$ - $\text{C}_8$ -alkyl,  $\text{C}_5$ - $\text{C}_8$ -cycloalkyl,  $\text{C}_6$ - $\text{C}_{10}$ -aryl or  $\text{C}_7$ - $\text{C}_{12}$ -aralkyl,  $l$  independently of one another, signifies 0 or 1,  $N$  signifies 1 to 5 and  $X$  signifies a mononuclear or polynuclear aromatic radical with 6 to 30 C atoms and

D) 0.05 to 5 parts by weight of a fluorinated polyolefin with an average particle diameter of 0.05 to 1000  $\mu\text{m}$ , a density of 1.2 to 2.3  $\text{g/cm}^3$  and a fluorine content of 65 to 76 wt.%, and at least one additive selected from the group consisting of stabilizers, dyes, pigments, lubricants, mold release agents, fillers, reinforcing agents, nucleating agents and static agents, ~~the composition excluding added styrene copolymers.~~